RECEIVED CENTRAL FAX CENTER





Suite 2800 1100 Peachtree St. Atlanta GA 30309-4530 1404 815 6500 f 404 815 6555 www.KilpatrickStockton.com

March 9, 2005

FAX

RECIPIENT/ PHONE NO.	FAX NO.	COMPANY/ CITY, STATE, COUNTRY
Centralized Fax Dept.	703.872.9306	U.S. Patent and Trademark Office
GAU 1616		Alexandria, VA 22313-1450
Badio		
Bruce D. Gray		6 PAGES (WITH COVER)
9937 REFERENCE NO		S0351/249009 CLIENT/MATTER NO.

PLEASE CALL 404 815 6497 IF YOU HAVE DIFFICULTY WITH THIS TRANSMISSION.

CONFIDENTIALITY NOTE:

The information contained in this fax message is being transmitted to and is intended for the use of the individual named above. If the reader of this message is not the intended recipient, you are hereby advised that any dissemination, distribution or copy of this fax is strictly prohibited. If you have received this fax in error, please immediately notify us by telephone and destroy this fax message.

COMMENTS

TO BE COMPLETED BY KS OPERATIONS CENTER		
TRANSMISSION RECEIPT DATE/TIME:		
COMPLETED BY:	JOB CODE 80184	

CENTRAL FAX CENTER MAY 3 1 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS:

Gibson et al.

SERIAL NO.:

09/699,002

GROUP ART UNIT: 1616

FILED:

October 26, 2000

EXAMINER:

Badio

FOR:

HIGH VISCOSITY LIQUID CONTROLLED DELIVERY SYSTEM AND

MEDICAL OR SURGICAL DEVICE

ATTORNEY DOCKET NO.: S0351/249009

I hereby certify that this correspondence is being transmitted by facsimile to: Commissioner of Patents, P. O. Box 1450, Alexandria.

VA 22313-1450, on May 17, 2005.

Gina Hamrick

DATE: May J

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE TO OFFICE ACTION

Sir:

Further in response to the Office action dated September 17, 2004, Applicants respectfully submit the following amendments and remarks in connection with this application.

Amendments to the claims begin at page 2 of this paper.

Remarks begin at page 4 of this paper.